

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identification

Product code : CGT-350
Trades code : 067

1.2. Relevant identified uses of the substance or mixture and uses advised against

Pickling and electropolishing - electrolytic fluid, for Stainless Steel metals - for use with electrolytic equipments.
Industrial uses [SU3] Professional uses [SU22]

Users advised against:
Do not use for purposes other than those listed.

1.3. Details of the supplier of the safety data sheet

Cougartron
Hesselager 15
2605 Brøndby
Denmark

1.4. Emergency telephone number

tel. 0045 43 46 20 10

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

CAS 7664-38-2 CEE 015-011-00-6 EINECS 231-633-2

2.1.1 Classification according to Directive 1999/45/EEC:

Classification:
Xi; R36/38

Nature of special risks attributed:
R36/38 - Irritating to eyes and skin.

If brought into contact with eyes, the product causes significant irritations which may last for more than 24 hours, if brought into contact with the skin, it causes significant inflammation with erythema, scabs, or edema

2.2. Label elements

Labeling according to Directive (EC) No 1999/45:

Provided symbols:
Xi - Irritant



Attributed risk:
R36/38 - Irritating to eyes and skin.

Precautionary statements:

- S9 - Keep container in a well-ventilated place.
- S25 - Avoid contact with eyes.
- S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
- S60 - This material and its container must be disposed of as hazardous waste.
- S64 - If swallowed, rinse mouth with water (only if the person is conscious).

Issued on 03/07/2013 - Rev. # 1 on 03/07/2013 in conformity to Regulation (EC) No 453/2010 of 20 May 2010

Contains:
phosphoric acid ... %

2.3. Other hazards

Substance/mixture meets the criteria for PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

No information on other hazards

SECTION 3. Composition/information on ingredients

3.1 Substances

Irrilevant

3.2 Mixtures

Refer to paragraph 16 for full text of risk phrases and hazard statements

Substance	Concentration	Classification	Index	CAS	EINECS	REACH
phosphoric acid ... %	> 20 <= 30%	C; R34 Skin Corr. 1B, H314	015-011-00-6	7664-38-2	231-633-2	

SECTION 4. First aid measures

4.1. Description of first aid measures

Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated room.
CALL A PHYSICIAN.

Direct contact with skin (of the pure product):

Take contaminated clothing Immediately off.
Wash immediately with plenty of running water and possibly with soap, the areas of the body that have, or are only suspected to have, come in contact with the product.

Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Ingestion:

Not hazardous. It's possible to give activated charcoal in water or liquid paraffin medicine

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

SECTION 5. Firefighting measures

5.1. Extinguishing media

Advised extinguishing agents:

Water spray, CO2, foam, dry chemical, depending on the materials involved in the fire.

Issued on 03/07/2013 - Rev. # 1 on 03/07/2013 in conformity to Regulation (EC) No 453/2010 of 20 May 2010

Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction

You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear gloves and protective clothing

6.1.2 For emergency responders:

Wear gloves and protective clothing

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Provision of sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

6.2. Environmental precautions

Contain spill with earth or sand.

If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the the authorities.

Discharge the remains in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 For containment:

Rapidly recover the product, wear a mask and protective clothing

Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.

Prevent it from entering the sewer system.

6.3.2 For cleaning up:

After wiping up, wash with water the area and materials involved

6.3.3 Other information:

None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Avoid contact and inhalation of vapors. See also paragraph 8 below.

Issued on 03/07/2013 - Rev. # 1 on 03/07/2013 in conformity to Regulation (EC) No 453/2010 of 20 May 2010

At work do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabeled containers.
Keep containers upright and safe by avoiding the possibility of falls or collisions.
Always store in well ventilated areas.
Store in a cool place, away from sources of heat and direct exposure of sunlight.

7.3. Specific end use(s)

Industrial Manufacturing (all):
Handle with extreme caution.
Store in a well ventilated area, away from direct heat sources.

Public domain (administration, education, entertainment, services, craftsmen):
Handle with care.
Store in a dry, ventilated place away from sources of heat,
Keep container tightly closed.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Related to substances:
Phosphoric acid 20%
TLV: 1 mg / m² as TWA 3 mg / m² as STEL (ACGIH 2004).
MAK: (Inhalable fraction) 2 mg / m² Peak limitation category: I (2); Pregnancy risk group: C; (DFG 2005).
EU OEL: 1 mg/m³ (8h), 2 mg/m³ (short-term).

8.2. Exposure controls

Appropriate engineering controls:
Industrial Manufacturing (all):
No specific control expected



Public domain (administration, education, entertainment, services, craftsmen):
No inspection planned

Individual protection measures:

(a) Eye / face protection

When handling the pure product use safety glasses (spectacles cage) (EN 166).

(b) Skin protection

(i) Hand protection

When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)

(ii) Other

Wear normal work clothing.

(c) Respiratory protection

Not needed for normal use.

(d) Thermal hazards

No hazard to report

Issued on 03/07/2013 - Rev. # 1 on 03/07/2013 in conformity to Regulation (EC) No 453/2010 of 20 May 2010

Environmental exposure controls:

Use according to good working practices to avoid pollution into the environment.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Appearance	liquid	
Odour	odorless	
Odour threshold	not determined	
pH	acid	
Melting point/freezing point	not determined	
Initial boiling point and boiling range	not determined	
Flash point	nonflammable	
Evaporation rate	not determined	
Flammability (solid, gas)	irrelevant	
Upper/lower flammability or explosive limits	irrelevant	
Vapour pressure	not determined	
Vapour density	not determined	
Relative density	1,2 g/cc a 20°C	
Solubility	in water	
Water solubility	totaly	
Partition coefficient: n-octanol/water	not determined	
Auto-ignition temperature	irrelevant	
Decomposition temperature	not determined	
Viscosity	not determined	
Explosive properties	irrelevant	
Oxidising properties	irrelevant	

9.2. Other information

No data available.

SECTION 10. Stability and reactivity

10.1. Reactivity

No reactivity hazards

10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

10.3. Possibility of hazardous reactions

There are no hazardous reactions

Issued on 03/07/2013 - Rev. # 1 on 03/07/2013 in conformity to Regulation (EC) No 453/2010 of 20 May 2010

10.4. Conditions to avoid

Store in cool, dry, well ventilated

10.5. Incompatible materials

Avoid contact with bases, oxidizing agents active metals

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION 11. Toxicological information

11.1. Information on toxicological effects

- (a) acute toxicity: not applicable
- (b) irritation: If brought into contact with eyes, the product causes significant irritations which may last for more than 24 hours, if brought into contact with skin, it causes significant inflammation with erythema, scabs, or edema
- (c) corrosivity: not applicable
- (d) sensitisation: not applicable
- (e) repeated dose toxicity: not applicable
- (f) carcinogenicity: not applicable
- (g) mutagenicity: not applicable
- (h) toxicity for reproduction: not applicable

Related to substances:

Phosphoric acid 20%

ROUTES OF EXPOSURE: The substance can be absorbed into the body by inhalation of its aerosol and by ingestion.

INHALATION RISK: A harmful contamination of the air will not be achieved at all or it will be very slowly on evaporation of this substance at 20 ° C.

EFFECTS OF SHORT-TERM EXPOSURE: The substance 'corrosive to the eyes, the skin and the respiratory tract. Corrosive on ingestion.

ACUTE HAZARDS / SYMPTOMS:

Inhalation: burning sensation. Cough. Shortness of breath. Sore throat.

SKIN: Redness. Pain. Skin burns. Blisters.

EYES: Pain. Redness. Severe deep burns.

INGESTION: Abdominal pain. Burning sensation. Shock or collapse.

Acute toxicity: LD50 oral (rat): 1530mg/Kg (anhydrous product)

SECTION 12. Ecological information

12.1. Toxicity

Related to substances:

Phosphoric acid ... %

ENVIRONMENTAL EFFECTS: acidic, nutrient of undesirable algae.

ECOTOXICITY ':

Mosquitofish TLm 138 mg / l 24/26 hours in the water turbid 22-24 °

Persistence: while the acidity can be neutralized by natural water hardness, the phosphate may persist indefinitely.

Bioaccumulative potential: zero.

Issued on 03/07/2013 - Rev. # 1 on 03/07/2013 in conformity to Regulation (EC) No 453/2010 of 20 May 2010

Use according to good working practices to avoid pollution into the environment.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

Substance/mixture meets the criteria for PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

12.6. Other adverse effects

No adverse effects

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Send to authorized discharge plants or for incineration under controlled conditions. Operate according to local and National rules in force

SECTION 14. Transport information

14.1. UN number

1805

If subject to the following characteristics is ADR exempt:

Combination packagings: per inner packaging 5 L per package 30 Kg

Inner packagings placed in skrink-wrapped or stretch-wrapped trays: per inner packaging 5 L per package 20 Kg



14.2. UN proper shipping name

PHOSPHORIC ACID, SOLUTION

14.3. Transport hazard class(es)

Class : 8

Label : 8

Tunnel restriction code : E

Limited quantities : 5 L

EmS : F-A, S-B

14.4. Packing group

III

Issued on 03/07/2013 - Rev. # 1 on 03/07/2013 in conformity to Regulation (EC) No 453/2010 of 20 May 2010

14.5. Environmental hazards

Product is not environmentally hazardous
Marine polluting agent : Not

14.6. Special precautions for user

No data available.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

It is not intended to carry bulk

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No data available.

15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

SECTION 16. Other information

16.1. Other information

Description of the sentences of risk set out in paragraph 3
R34 = Causes burns.

Description of the hazard statements exposed to point 3
H314 = Causes severe skin burns and eye damage.

Classification based on data of all mixture components
